

Passcert

Higher Quality, better service!



Q&A

[Http://www.passcert.com](http://www.passcert.com)

We offer free update service for one year.

Exam : **PEGACSA72V1**

Title : Certified System Architect
(CSA) 72V1

Version : Demo

1.You have been asked to create a sequence of user forms for a travel reservation process. The forms contain fields that require calculation.

For which reason do you use a declare expression to calculate values?

- A. To perform the calculation in a specific case stage
- B. To perform the calculation when the user clicks a button
- C. To perform the calculation when a form is submitted
- D. To perform the calculation wherever a field is updated

Answer: A

2.Each of the following classes has a data transform named SetValues with the Call data transforms in superclass option selected.

The SetValues data transforms set the properties PropA and PropB, as shown in the following table.

| <u>Class</u> | <u>Property</u> | <u>Value</u> |
|---------------------|------------------------|---------------------|
| MyCo-App-Data | PropA | 1 |
| MyCo-App-Data-A | PropB | 2 |
| MyCo-App-Data-A-B | PropA | 3 |
| MyCo-App-Data-A-B-C | PropB | 4 |

What is the value of PropA and PropB after the SetValues in MyCo-App-Data-A has been invoked?

- A. PropA=1 and PropB=2
- B. PropA=1 and PropB=4
- C. PropA=3 and PropB=4
- D. PropA=3 and PropB=2

Answer: B

3.A Service Request case type has a CustomerGrade property.

How do you set the value of the CustomerGrade property to Silver when a service request case is created?

- A. Configure the CustomerGrade property with a default value.
- B. Configure the pyDefault data transform to set the CustomerGrade property value.
- C. Configure a declare expression to set the CustomerGrade property value.
- D. Configure the first connector in the first flow rule to set the CustomerGrade property value.

Answer: B

4.DRAG DROP

Match each data page scope to its use case.

| <u>Scope</u> | <u>Use Case</u> |
|--------------|--|
| Node | Customer details for a complaint case handled by a customer service representative |
| Thread | Exchange rates available to all accounting applications |
| Requestor | Order history of the logged-in user that needs to be refreshed on every login |

Answer:

| <u>Scope</u> | <u>Use Case</u> |
|--------------|--|
| Node | Customer details for a complaint case handled by a customer service representative |
| Thread | Exchange rates available to all accounting applications |
| Requestor | Order history of the logged-in user that needs to be refreshed on every login |

5. In an application, three email addresses (work, home, and other) can be captured for a customer. You use .Email (work) to refer to the work email address.

What type of property is used to capture the email addresses?

- A. Page
- B. Value group
- C. Value list
- D. Page group

Answer: C