

Passcert

Higher Quality, better service!



Q&A

[Http://www.passcert.com](http://www.passcert.com)

We offer free update service for one year.

Exam : 2B0-019

**Title : ES Policy Enabled
Networking**

Version : DEMO

1. Authentication is used in Secure Application Provisioning to:

- A. Quarantine malicious traffic
- B. Persistently apply policy
- C. Allow configuration of a switch's host data port
- D. provide additional network access

Answer: D

2. Saving a NetSight Atlas Policy Manager configuration to a .pmd file:

- A. Writes the configuration to NVRAM on the switches
- B. Allows for multiple configurations to be stored on the NMS
- C. Notifies the RADIUS server that new policies have been created
- D. Temporarily disables communication between all RADIUS clients until the save is complete

Answer: B

3. Certificate services must be installed when using:

- A. EAP-TLS
- B. EAP-MD5
- C. PWA
- D. MAC authentication

Answer:A

4. Persistent policy assignment:

- A. Can be effective in an incremental deployment of acceptable use policy
- B. Is dependent upon a RADIUS back-end configuration
- C. Is deployed based on user authentication
- D. Cannot be used on uplink ports

Answer:A

5. A distinguishing characteristic of PEAP is:

- A. It adds security by running over a VPN tunnel

- B. It uses salt encryption
- C. It requires that only the supplicant present a certificate
- D. It creates keying material using the Pseudo-Random Function

Answer: D

6. In the Enterasys policy-enabled network model, on-demand policy assignment:

- A. Is the result of a manual configuration
- B. Makes use of the Filter-ID parameter
- C. Is overridden by a ports default role
- D. Requires the use of 802.1X authentication mechanisms

Answer: B

7. All of the following are services which make up the pre-configured Acceptable Use Policy service group EXCEPT:

- A. Deny Spoofing
- B. Permit Legacy Protocols
- C. Limit Exposure to DoS attacks
- D. Protocol Priority Access Control

Answer: B

8. After configuration changes have been made in NetSight Atlas Policy Manager, what must be done before the changes take effect on the devices?

- A. The NMS must be rebooted
- B. The changes must be enforced
- C. The changes must be verified
- D. Nothing the changes take effect immediately

Answer: B

9. In the three-level policy model, Enterasys maps:

- A. The business/network level to classification rules
- B. The service-provisioning level to roles

C. The device level to classification rules

D. All of the above

Answer: C

10. The Active Edge consists of:

A. Policy-enabled switches

B. Core routers

C. SAP servers

D. User resources

Answer:A

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.