

Passcert

Higher Quality, better service!



Q&A

[Http://www.passcert.com](http://www.passcert.com)

We offer free update service for one year.

Exam : Workday Prism Analytics

**Title : Workday Pro Prism
Analytics Exam**

Version : DEMO

1. When joining datasets, what items must match?

- A. The field types for the Match Row fields.
- B. The number of rows in each dataset.
- C. The level of detail in each dataset.
- D. The field names for the Match Row fields.

Answer: A

2. You just imported your table on worker compensation into a derived dataset but before adding any transformation you want to make sure you have no NULL values for the Worker ID field.

How can you get this insight?

- A. Add a Manage Fields stage.
- B. Click on the field name and check the stage statistics.
- C. Create a Prism calculated field.
- D. Join on the Worker ID field.

Answer: B

3. A Prism data administrator combined data from multiple sources down to a final derived dataset, including current worker data. There is a new requirement to append historical worker data to the dataset in a uniform layout. The historical worker data includes some, but not all, fields that align with the current worker data.

Using current worker data as the primary pipeline, how can the historical worker data points be brought in?

- A. Add a Join stage with a Right Outer Join.
- B. Add a Union stage.
- C. Add a Join stage with a Left Outer Join.
- D. Add a Join stage with an Inner Join.

Answer: B

4. You have a number of Workday reports that use a Prism data source.

When are the values of the Prism calculated fields in the Workday reports calculated?

- A. At report run time.
- B. At dataset creation time.
- C. At the calculated field creation time.
- D. At time of publishing.

Answer: D

5. A Prism data writer has to create an intermediary Prism calculated field A, used only to achieve a final result in Prism calculated field B and they only need to publish out field B.

What should they do?

- A. Mark field A as intermediate calculation.
- B. Add a Manage Fields stage to the DDS and hide field A.
- C. Add a Manage Fields stage to the DDS and hide field B.
- D. Delete field A from their DDS and just leave field B.

Answer: B